



INNOVATIVE PROFILES



Schlüter®-KERDI-BOARD

Substrate, structural panel, bonded waterproofing





Schlüter®-KERDI-BOARD

The universal substrate for tiles

Perfect Covering


No matter whether you work with mosaics or large format tiles, an absolutely level substrate with straight and precisely angled internal and external corners is essential for a perfect tile covering...

... which tile installers can now create on their own, using Schlüter®-KERDI-BOARD.

Those who assume responsibility (and warranty) for the tile covering also have to be responsible for the substrate. Developers, architects, and designers have to keep this in mind when contracting the work.

For this purpose, **Schlüter®-KERDI-BOARD** offers the following properties:

- Even, impact resistant and rigid
- Waterproof and temperature resistant
- Functional bonded waterproofing assembly
- Vapour retardant
- Thermally insulating
- Fleece webbing for easy anchoring in thin-bed mortar
- Quick and easy to install
- Lightweight, easy to handle and transport
- Contains no cement or fibreglass
- Easy to handle
- Dust free and easy to cut (with a utility knife)
- Printed gridlines for precise cutting
- Suitable for use on any kind of background substrate
- Suitable for free standing partition walls, shelves, coverings and similar structures




- ▲ Waterproof and temperature resistant
- ▲ Suitable for use on any kind of background
- ▲ Fleece webbing for anchoring in thin-bed mortar
- ▲ Functional bonded waterproofing assembly





- ▲ Dust free and easy to install
- ▲ Printed gridlines for precise cutting
- ▲ Lightweight and easy to transport
- ▲ Easy to handle



Dimensions and packaging data of Schlüter®-KERDI-BOARD

Panel thickness	5 mm	9 mm	12.5 mm	19 mm	28 mm	38 mm	50 mm
Packaging unit (PU)	10 panels	10 panels	10 panels	6 panels	4 panels	3 panels	3 panels
Pallet content	14 PU 140 panels	8 PU 80 panels	6 PU 60 panels	7 PU 42 panels	7 PU 28 panels	7 PU 21 panels	5 PU 15 panels
Size 125 x 62.5 cm							
m ² / pallet	109.20	62.40	46.80	32.76	21.84	16.38	11.70
kg / panel	0.64	0.77	0.79	0.94	1.20	1.44	1.75
Size 260 x 62.5 cm							
m ² / pallet	226.80	129.60	97.20	68.04	45.36	34.02	24.30
kg / panel	1.34	1.60	1.65	1.95	2.50	3.00	3.65




-  Even, impact resistant and rigid
-  Vapour retardant
-  Thermally insulating
-  Free of cement/ fibreglass



Note:

Many substrates encountered in new buildings and renovation projects are unsuitable for tile installation, especially in areas with high moisture. This can require comprehensive additional work and waterproofing measures. **Schlüter®-KERDI-BOARD** makes it easy to create an instant substrate for tile installation over substrates as diverse as masonry, stud frame constructions of wood or metal and mixed/existing substrates in renovation projects.



- ← Fleece webbing
- ← Cement free reinforcement layer
- ← Extruded hard foam
- ← Cement free reinforcement layer
- ← Fleece webbing



Schlüter®-KERDI-BOARD

The universal substrate for tiles



- On green masonry or mixed substrates



- On stud frame structures



- For partition walls



- For panelling bathtub surrounds



- For vanities and shelving



- For kitchen work surfaces



- For concealing pipes



- For creating curved wall surfaces



For further details and installation instructions, please refer to our product data sheet 12.1, or visit our website at www.kerdi-board.co.uk.



INNOVATIVE PROFILES